

ABSOLUTE. PREMIUM. PROTECTION.™

20



2018 TACTICAL CATALOG

CONTENTS:

04	TECHNOLOGY
08	TECHNICAL SPECIFICATIONS
10	CHANGEABLE SERIES
2 2	TACTICAL GOGGLES
26	BLACK OPS
34	TACTICAL GLOVES
4 2	APEL / NSN LIST
44	DISPLAYS / APPAREL
4 5	WARRANTIES / TERMS



Wiley X has earned the distinguished designation of being ISO 9001:2015 certified. This verifies that our production processes and products meet the highest quality standards.



ABSOLUTE. Premium. Protection.

Tactical protection. It's in our DNA. Wiley X was born on the battlefield more than 30 years ago. Since that day, we made a commitment to become a global leader in the research and development of protective eyewear and gloves for military and law enforcement personnel. As a result, Wiley X's high performance products have become standard issue with the U.S. Army, Navy, Air Force, Marines and militaries worldwide.

In our state-of-the-art lens cutting and R&D lab at world headquarters in Livermore, CA, we safeguard the optical precision and protective qualities of our eyewear and gloves are of the highest standard in the world. Elite military and law enforcement professionals who have counted on Wiley X for three decades deserve no less.

All Wiley X tactical eyewear models continue to meet the highest ANSI safety standards and/or stringent military ballistic impact standards. We believe continual improvement isn't just a goal; it is a requirement. This means, when it comes to the entire line of Wiley X ultra protective eyewear and gloves, the next pair you get will be better than the last pair you received.





ANSI HIGH MASS IMPACT TEST

Wiley X ANSI tested frames and lenses must withstand the weight of a 1.1 lb. pointed projectile dropped from a height of 50". That pretty much ensures they'll stand up to any tough conditions you may encounter.

VO BALLISTIC TESTS/ ANSI HIGH VELOCITY IMPACT

Frames and lenses must withstand the impact of a .25" diameter steel ball fired at 150 fps (ANSI) or .15 projectiles fired at 640-660 fps (spectacle VO Ballistic). Goggles must withstand .22 projectiles fired at a rate of 550-560 fps. This ensures our lenses and frames are practically indestructible.




WILEY X SHOOTS FOR A HIGHER STANDARD

When it comes to our troops and law enforcement officers, no amount of protection is too much. As an ISO 9001:2015 business we meet a higher standard than competitors' "marketing claims." Per required government specifications and as outlined by ISO 9001:2015 and ANSI Z87.1 standards we continue to meet the government's highest Ballistic Impact Standards.

Select Wiley X products meet or exceed MIL-PRF-32432(GL) VO Ballistic Impact Standards for spectacles and goggles. MIL-PRF-32432(GL) requires a spectacle to withstand the impact of a .15 caliber fragment fired at 640-660 fps, and requires a goggle to withstand the impact of a .22 caliber fragment fired at 540-560 fps.





OPTICAL CLARITY AND ACCURACY

Meeting stringent ANSI Z87.1 standards isn't only about protection; our eyewear is tested to ensure optical clarity and accuracy from the center of the lens out to the periphery.



SHATTERPROOF LENSES. DURABLE FRAMES. THE WILEY X FACTOR: WELL PROTECTED ARMED FORCES.



LENS TECHNOLOGY

Not only do Wiley X lenses withstand tough ballistic impact tests, they also meet ANSI optical clarity standards. All Wiley X lenses block 100% of the sun's harmful UVA and UVB rays (up to 400 nanometers). The difference between Wiley X lenses and ordinary lenses is noticeable. It's also certified by rigorous ANSI testing.

RESOLVING POWER (CLARITY)



Ordinary lenses can distort objects viewed from a distance. As measured in tests utilizing the NBS Pattern 20, Wiley X lenses provide a clear view.

REFRACTIVE POWER



Inferior lenses can alter the true size of objects, as if looking through another person's prescription lens. Wiley X ANSI safety rated lenses maintain true relative object size.

PRISMATIC POWER





It is common for ordinary lenses to bend light, causing focal objects to appear off center. Wiley X ANSI safety rated lenses provide a true spatial relationship of objects in the field of view.

LENS ANATOMY *Polarized available in select styles.



SMOKE GREY LENSES* Maximum glare reduction. Won't distort colors. Excellent in bright/glare conditions. Light transmission: 14%-20% depending on frame style, 12%-14% Polarized depending on frame style.



CLEAR LENSES Maximum light transmission. See precise color values. Hazy or overcast, dusk/dawn conditions. Light transmission: 89%.



SMOKE GREEN LENSES* Maximum glare reduction without distorting colors. Great for general daytime use. Light transmission: 13% Polarized.



PALE YELLOW LENSES Best light enhancing lens tint. Enhance contrast in low to extremely low-light conditions, haze, etc. Light transmission: 86%.



LIGHT RUST LENSES Filters out most blue light waves, the chief component of glare and haze. Enhance contrast in medium to low-light conditions. Light transmission: 60%.



LA™ LIGHT ADJUSTING SMOKE GREY LENSES Darken as the brightness of the sun dictates. Maximize optical clarity. Light transmission: 85% to 17% (in sunlight).



VERMILLION LENSES Are best for medium to low-light conditions. Sharpens contrast and brightens targets. Light transmission: 50%.



2-LINE LASER LENSES Single laser frequency protection.



3-LINE LASER LENSES Multiple laser frequency protection.

WX TECHNOLOGY

BALLISTIC Meets and/or exceeds MIL-PRF-32432(GL) standard for spectacles and goggles.



Wiley X frames can accommodate specially designed prescription lenses. Ask your Account Representative for more details.



Meets and exceeds ANSI Z87.1 high velocity impact safety and optical standards.



Our proprietary Polarized lens technology adds 100% polarization to 100% ultra violet protection for unequaled clarity and contrast.



Our Wiley X patented removable Facial Cavity™ Seal blocks out wind, debris and peripheral light.



The European standard for withstanding small objects traveling at high speeds, and in some cases, extreme temperatures and robustness.



Authorized Protective Eyewear List (APEL) Approved.



Universal Prescription Lens Carrier (UPLC).



PRODUCTS							EYE STAN	WEAI						ENS F						I	LOVI NDAF					EATU SPEC		
WX ROGUE					≺	×	×	×	×	×	×	×	×	×	≺			×	×									
SPEAR	×	×		×	≺	×	≺	×	≺	×	×	×	≺	×	≺	≺	×	×	×									
SG-1	×			×	≺	×	×	×	≺	×	×	×	×	×	×		╳	×	×									
WX VAPOR		∽		×	∽	×	×	∽	∽	∽	×	×	×	∽	∽			∽	∽									
NERVE		≺		×	×	×	×	×	∽	≺	×	×	×	∽	∽		×	∽	∽									
WX VALOR		∽		×	∽	×	×	~	∽	∽	×	×	∽	∽	∽			~	×									
GUARD					∽	×	∽	×	∽	∽	×		×	∽	∽	∽		∽	╳									
WX TALON		∽		×	∽	×	×	×	∽	∽	×	×	∽	∽	∽			×	×									
SABER ADVANCED				×	×	×	×	×	×	×	×		×	×	≺			×	×									
WX SAINT					∽	×	∽	∽	∽	∽	×		∽	∽	∽			∽	∽									
PT-1				×	×	×	×	×	×	×	×		×	∽	×			×	×									
ROMER 3				×	∽	×	∽	∽	∽	∽	×	×	∽	∽	∽			∽	×									
XL-1 ADVANCED				×	×	×	×	×	×	×	×	×	×	×	≺	×		×	×									
CAG-1					∽															×	~	∽		×	≺		≺	
ORION			×		×															\mathbf{x}	×	×	×		≺			
ARIES			×		∽															×	~	×	×		≺			
HYBRID					≺															×	~	×	×		≺		~	×
DURTAC					~																					≺	~	
PALADIN					≺															×	≺	×		×	≺			
APX					∽																					×		

ANTI-FOG Lansa

SHINATOLIST

AVAIR App

als | Rei

I RX RE

CutRe


UVAIUVB Pro

asticknin

ticknuckle











291 F: MATTE BLACK L: (2 LENS PACK) SMOKE GREY / CLEAR

PRODUCT VIEWS:











FEATURES:

- » Shatterproof Selenite[™] polycarbonate lenses that meet the ML-PR-32432(GL) ballistic standards, ANSI 787.1-2010 high velocity and high mass impact standards, and EN 166 certification
- » 100% UVA/UVB protection with distortion-free clarity
- » T-Shell™ lens coating resists scratching in extreme environments
- » Foil[™] lens coating provides anti-fog protection
- » Removable Ultra Foam[™] gasket to block out wind, dust and debris
- » Rx Ready (Rx lenses are not interchangeable)
- » Smoke Grey Lens provides max glare reduction with no color distortion; light transmission 15%
- » Clear Lens for night, indoor, overcast, and very low light conditions; light transmission 90%



FRAME SIZE: 62 / 17 / 122

REMOVABLE FACIAL CAVITY™ SEAL INCLUDED




INCLUDES T-PEG STRAP (XLE)



INCLUDED ACCESSORIES: USA-Made Zipper Case TS-235 (2 lens pack) XL-1 T-Peg Strap XLE Removable Facial Cavity Seal (XLG)









FEATURES:

- » Shatterproof Selenite[™] polycarbonate lenses that meet the ML-PRF-32432(GL) ballistic standards, ANSI 287.1-2010 high velocity and high mass impact standards, and EN 166 certification
- » 100% UVA/UVB protection with distortion-free clarity
- » T-Shell[™] lens coating resists scratching in extreme environments
- » Foil[™] lens coating provides anti-fog protection
- » Arch9[™] lens design offering the wearer unequaled lateral protection and resolving optics
- » Fully adjustable telescoping temples fit a wide variety of head sizes, provide a low profile, and are Night Vision Goggle (NVG) compatible
- » Compatible with the US Army's Universal Prescription Lens Compatible (UPLC) Carrier. (APEL model only).
- Compatible with Wiley X's prescription lens carrier (CHX) – sold separately
- » Optional adjustable Take Flight nose piece accommodate any face/nose bridge.
- » Smoke Grey Lens provides max glare reduction with no color distortion; light transmission 15%
- » Clear Lens for night, indoor, overcast, and very low light conditions; light transmission 90%



CHX INSERT SIZE: 45 / 18

Rx INSERT CHX*



INCLUDED ACCESSORIES: Zipper Case TS-235N (2 lens pack) Zipper Case TS-235N2 (3 lens pack) APEL Case TS-235 T-Peg Strap (XLE)

*Requires Rx Insert for all prescription orders



FEATURES:

- » Shatterproof Selenite[™] polycarbonate lenses that meet the MIL-PRF-32432[GL] ballistic standards, ANSI Z87.1-2010 high velocity and mass impact standards, and EN 166 certification.
- » 100% UVA/UVB protection with distortion-free clarity.
- » T-Shell[™] lens coating resists scratching in extreme environments.
- » Foil[™] lens coating provides anti-fog protection.
- » Compatible with Wiley X's prescription lens carrier [PTX] – sold separately.
- » Adjustable Take Flight nose piece accommodate any face/nose bridge.
- » Smoke Grey Lens provides max glare reduction with no color distortion; light transmission 15%.
- » Clear Lens for night, indoor, overcast, and very low light conditions; light transmission 90%.



Rx INSERT SIZE: 44 / 25

Rx INSERT PTX*



INCLUDES ADJUSTABLE TEMPLE TIP STRAP



INCLUDED ACCESSORIES: Zipper Case TS-235N (2 lens pack) Zipper Case TS-235N2 (3 lens pack) Rogue Temple Tip Strap 28E (2801 and 2802 only) Leash Cord A492

*Requires Rx Insert for all prescription orders



SABER ADVANCED



PRODUCT VIEWS:





FEATURES:

- » Shatterproof Selenite[™] polycarbonate lenses that meet the MIL-PRF-32432(GL) ballistic standards, ANSI Z87.1-2010 high velocity and high mass impact standards, and EN 166 certification
- » 100% UVA/UVB protection with distortion-free clarity
- » T-Shell[™] lens coating resists scratching in extreme environments
- » Additional lens tints sold separately for varying light conditions
- » Compatible with Wiley X's prescription lens carrier (PTX) - sold separately
- » Adjustable Take Flight nose piece accommodates any face/nose bridge
- » Smoke Grey Lens provides max glare reduction with no color distortion; light transmission 15%
- » Clear Lens for night, indoor, overcast, and very low light conditions; light transmission 90%



Rx INSERT SIZE: 44 / 25

Rx INSERT PTX*



CONVERTS TO GOGGLE WITH AN INCLUDED ADJUSTABLE STRAP



INCLUDED ACCESSORIES: Black Zippered Clamshell Case DN300 (single lens options) Zipper Case TS-235N (2 lens pack) Zipper Case TS-235N2 (3 lens pack) Leash Cord A492 Saber Advanced Strap 306E

*Requires Rx Insert for all prescription orders



300 F: MATTE BLACK L: PALE YELLOW

L: SMOKE GREY



307 F: 2 MATTE BLACK FRAMES L: [2 FULL SETS] SMOKE GREY / CLEAR



L: CLEAR



306 F: MATTE BLACK L: [2 LENS PACK] SMOKE GREY / LIGHT RUST



20





TACTICAL GOGGLES





SP30T F: TAN 499 L: (2 LENS PACK) SMOKE GREY / CLEAR



PRODUCT VIEWS:



FRONT







FEATURES:

- » Shatterproof Selenite[™] polycarbonate lenses that meet the MIL-PRF-32432(GL) ballistic standards, ANSI 287.1-2010 high velocity and mass impact standards, and EN 166 certification.
- » 100% UVA/UVB protection with distortion-free clarity.
- » T-Shell[™] lens coating resists scratching in extreme environments.
- » Foil[™] lens coating provides anti-fog protection.
- » Sleek design that is Night Vision Goggle [NVG] compatible.
- » Compatible with the US Army's Universal Prescription Lens Compatible (UPLC) Carrier. (APEL model only).
- » Compatible with Wiley X's prescription lens carrier [SP29X] – sold separately.
- » Smoke Grey Lens provides max glare reduction with no color distortion; light transmission 15%.
- » Clear Lens for night, indoor, overcast, and very low light conditions; light transmission 90%.



RX INSERT SP29X (NON-APEL STYLES): PTX INSERT + SP29PST POST



*SP30T is UPLC compatible.



Spear Cavity Seal SP29FCS

INCLUDED ACCESSORIES: Spear Facial Cavity Seal SP29FCS Spear Goggle Sleeve SP29SLB (Black) Spear Goggle Bag AN571 (Black) Spear Goggle Strap SP29E (Black), SP29ET (Tan)



SP2998 F: MATTE BLACK L: (3 LENS PACK) SMOKE GREY / CLEAR / LIGHT RUST



SP29T F: TAN 499 L: (2 LENS PACK) SMOKE GREY / CLEAR



SP293T F: TAN 499 L: (3 LENS PACK) SMOKE GREY / CLEAR / LIGHT RUST



SP29B F: MATTE BLACK L: (2 LENS PACK) SMOKE GREY / CLEAR



IGG





PRODUCT VIEWS:







71 F: MATTE BLACK L: (2 LENS PACK) SMOKE GREY / CLEAR



70 V-CUTTR * F: MATTE BLACK L: (2 LENS PACK) SMOKE GREY / CLEAR



SG-1M ASIAN FIT F: MATTE BLACK L: (2 LENS PACK) SMOKE GREY / CLEAR

FEATURES:

- » Shatterproof Selenite[™] polycarbonate lenses that meet the ML-PRF-32432(GL) ballistic standards, ANSI 787.1-2010 high velocity and high mass impact standards, and EN 166 certification
- » 100% UVA/UVB protection with distortion-free clarity
- » T-Shell[™] lens coating resists scratching in extreme environments
- » Foil[™] lens coating provides anti-fog protection
- » Night Vision Goggle (NVG) compatible modular system
- » Lightweight and comfortable for extended use in sand, wind, and dust environments
- » Frame eliminates tunnel vision with 90-degree Wrapback™
- » Rx Ready
- » Smoke Grey Lens provides max glare reduction with no color distortion; light transmission 15%
- » Clear Lens for night, indoor, overcast, and very low light conditions; light transmission 90%



FRAME SIZE: 60 / 24 / 130

SG-1 W/ TEMPLES IS BALLISTIC RATED



INCLUDED ACCESSORIES: USA Made Case TS-235 Removable Temples SG-1T SG-1 Elastic Strap SG-1E SG-1 Beaded Tactical Strap 258A

*style has additional ventilation

BLAL 山



ETTER E MATTE BLACK L: SMOKE GREY

FEATURES:



FRAME SIZE: 72 / 21 / 125

REMOVABLE FACIAL CAVITY™ SEAL INCLUDED



INCLUDED ACCESSORIES:

Black Zippered Clamshell Case DN300 Facial Cavity¹¹⁵ Seal CCTTNG2 Leash Cord w/ Rubber Temple Tips A492 SOLD SEPARATELY: Facial Cavity¹¹⁵ Seal - Thicker Version CCTTNG2T Floating Leash Cord A494

FEATURES:



FRAME SIZE: 64 / 15 / 125

REMOVABLE FACIAL CAVITY™ SEAL INCLUDED



INCLUDED ACCESSORIES: Black Zippered Clamshell Case DN300 Facial Cavity¹⁹ Seal CCENZ62 Button Temple Tip Strap A493 SDLD SEPARATELY: Facial Cavity¹⁹ Seal - Thicker Version CCENZ62T Floating Leash Cord A494

WX ENZO



WX WAVE



WX IGNITE



WX NASH





ACNASOB F: MATTE BLACK L: POLARIZED SMOKE GREY

FEATURES:



FRAME SIZE: 64 / 18 / 125

INCLUDED ACCESSORIES:

Black Zippered Clamshell Case DN300 Facial Cavity™ Seal CCWAVG2 T-Peg Elastic Strap EH409-4

SOLD SEPARATELY: Facial Cavity™ Seal -CCWAVG2T

REMOVABLE

FACIAL CAVITY™

SEAL INCLUDED

Facial Cavity™ Seal - Thicker Version CCWAVG2T Floating Leash Cord A494

FEATURES:



FRAME SIZE: 65 / 18 / 125

INCLUDED ACCESSORIES:

Black Zippered Clamshell Case DN300 Leash Cord w/ Rubber Temple Tips A492 SOLD SEPARATELY: Floating Leash Cord A494

FEATURES:

RANN FRANCE READY FRANCE 166

FRAME SIZE: 64 / 15 / 125

INCLUDED ACCESSORIES: Black Zippered Clamshell Case DN300 Leash Cord w/ Rubber Temple Tips A492 SOLD SEPARATELY: Floating Leash Cord A494



WX TIDE



WX GRAVITY



FEATURES:



FRAME SIZE: 66 / 17 / 125

INCLUDED ACCESSORIES: Black Zippered Clamshell Case DN300 Leash Cord w/ Rubber Temple Tips A492 SOLD SEPARATELY: Floating Leash Cord A494

FEATURES:



FRAME SIZE: 67 / 18 / 125

INCLUDED ACCESSORIES: Black Zippered Clamshell Case DN300 Facial Cavity™ Seal CCTIDG2 Leash Cord w/ Rubber Temple Tips A492 SOLD SEPARATELY: Facial Cavity™ Seal - Thicker Version CCTIDG2T Floating Leash Cord A494





REMOVABLE FACIAL CAVITY™ SEAL INCLUDED

REMOVABLE FACIAL CAVITY™

SEAL INCLUDED

FRAME SIZE: 63 / 17 / 119

INCLUDED ACCESSORIES:

Black Zippered Clamshell Case DN300 Facial Cavity™ Seal CCGRAG2 Leash Cord w/ Rubber Temple Tips A492 T-Peg Elastic Strap EH409-4 SOLD SEPARATELY: Facial Cavity™ Seal - Thicker Version CCGRAG2T Floating Leash Cord A494



FEATURES:



WX TWISTED





F



SSTWIDE F: MATTE BLACK L: POLARIZED SMOKE GREY





FRAME SIZE: 65 / 16 / 120

INCLUDED ACCESSORIES: Black Zippered Clamshell Case DN300 Leash Cord w/ Rubber Temple Tips A492 SOLD SEPARATELY: Floating Leash Cord A494

FEATURES:



FRAME SIZE: 65 / 17 / 125

INCLUDED ACCESSORIES: Black Zippered Clamshell Case DN300 Leash Cord w/ Rubber Temple Tips A492 SOLD SEPARATELY: Floating Leash Cord A494



FEATURES:



FRAME SIZE: 68 / 16 / 114

INCLUDED ACCESSORIES:

Black Zippered Clamshell Case DN300 (single lens options) Zipper Case TS-235N (2 lens pack) Zipper Case TS-235N2 (3 lens pack) Leash Cord A492





CHVALOB F: MATTE BLACK L: POLARIZED SMOKE GREY



FRAME SIZE: 70 / 18 / 120

INCLUDED ACCESSORIES: Black Zippered Clamshell Case DN300 (single lens options) Zipper Case TS-235N (2 lens pack) Zipper Case TS-235N2 (3 lens pack) APEL Case DN650 Leash Cord A492

FEATURES:



FRAME SIZE: 61/18/120

INCLUDED ACCESSORIES: Black Zippered Clamshell Case DN300 Leash Cord w/ Rubber Temple Tips A492 T-Peg Elastic Strap EH409-4 SOLD SEPARATELY: Floating Leash Cord A494



REALLISTIC REAL FILE THE REAL FILE

FRAME SIZE: 61 / 16 / 119

INCLUDED ACCESSORIES: Black Zippered Clamshell Case DN300 Leash Cord w/ Rubber Temple Tips A492 SOLD SEPARATELY: Floating Leash Cord A494



WX CENSOR



					2161		mpact int	act	Junnin eter	585	2 P12	vention	or c	eals.	
				EC MIL PP	1, 28, 32, 32, 10, 11, 11, 10, 10, 10, 10, 10, 10, 10	hvelocit	In Pact In Pass In Pas	act patients and a set	arbonater scratt	thesisteric	SPOTING PLANT	Protection and Protection	P Down PR	Insert Pol	eedH enses
		65	ALIST MIL	EYEW		51 ¹	S.FEP Self	nit rie		LENS FE			P Do RY	Inse pol	arit
	PRODUCTS			STAND						& TECHI					l I
NEW	Black Ops WX TITAN	×		$\boldsymbol{\times}$	×	×	×	×	×	×	×	×	╳		
	Black Ops WX ENZO	$\boldsymbol{\times}$	×	╳	╳	╳	×	╳	╳	╳	╳	╳	╳		l
	Black Ops WX WAVE	$\boldsymbol{\times}$		×	×	$\boldsymbol{\times}$	$\boldsymbol{\times}$	×	×	×	×	×	×		
	Black Ops WX IGNITE	$\boldsymbol{\times}$	×	╳	╳	╳	$\boldsymbol{\times}$	╳	╳	╳			╳		l.
	Black Ops WX NASH	×	×	$\boldsymbol{\times}$	X	×	×	×	×	×			×	×	l
	Black Ops WX OMEGA	×		╳	×	×	×	×	×	×		╳	×		1
	Black Ops WX TIDE	×		×	×	$\boldsymbol{\times}$	×	×	×	×	×	×	×		I
	Black Ops WX GRAVITY	×	×	×	×	×	×	×	×	×	╳	×	×		
	Black Ops AIRRAGE			$\boldsymbol{\times}$	×	×	×	$\boldsymbol{\times}$	$\boldsymbol{\times}$	$\boldsymbol{\times}$	$\boldsymbol{\times}$	$\boldsymbol{\times}$	$\boldsymbol{\times}$		l
	Black Ops BRICK	×		×	×	X	×	×	×	×	×	╳	×		l
	Black Ops WX REBEL	×	×	$\boldsymbol{\times}$	$\boldsymbol{\times}$	$\boldsymbol{\times}$	×	×	×	×	•		×		l
	Black Ops SLAY	×	×	×	×	×	×	×	×	×			×		l
	Black Ops WX TWISTED	×		$\boldsymbol{\times}$	×	$\boldsymbol{\times}$	×	×	×	×	•	•	×	$\boldsymbol{\times}$	l
	Black Ops WX SAINT	×	×	╳	╳	╳	×	×	╳	×			×		l
	Black Ops WX VALOR	×	×	×	×	$\mathbf{\times}$	\mathbf{x}	$\mathbf{\times}$	$\mathbf{\times}$	$\mathbf{\times}$			×	\mathbf{x}	l I
	Black Ops P-17	×	×	$\boldsymbol{\times}$	×	$\boldsymbol{\times}$	$\mathbf{\times}$	$\boldsymbol{\times}$	×	$\boldsymbol{\times}$			×		
	Black Ops WX CENSOR		\mathbf{X}	$\mathbf{\times}$	$\mathbf{\times}$	\mathbf{x}	\mathbf{x}	\mathbf{x}	\mathbf{x}	\mathbf{x}			$\mathbf{\times}$	\mathbf{x}	

CAG-1 COMBAT ASSAULT GLOVE







G231XL X-LARGE G231XL X-LARGE



TOUCHTEC BLACK*	BLACK
U230SM SMALL	G230SM SMALL
U230ME MEDIUM	G230ME MEDIUM
U230LA LARGE	G230LA LARGE
U230XL X-LARGE	G230XL X-LARGE
U2302X 2X-LARGE	G2302X 2X-LARGE

MADE IN U.S.A.

(U230SM-2X*, U231SM-2X, U232SM-2X)

FEATURES:

- TREATED GOATSKIN LEATHER FOR DURABILITY
- INJECTION MOLDED KNUCKLE PROTECTOR
- 100% KEVLAR KNIT
- FLAME AND ABRASION RESISTANT
- LEATHER REINFORCED IN HIGH-WEAR AREAS
- CUSTOM DESIGNED TO MATCH U.S. MILITARY UNIFORMS
- MEETS MILITARY FLAME RESISTANCE REQUIREMENT
- THERMAL AND CUT RESISTANT

* TOUCHTEC TOUCHSCREEN COMPATIBLE



FEATURES:

- REMOVABLE PATENT PENDING
 INJECTED MOLDED KNUCKLE
 PROTECTOR
- NOMEX/KEVLAR KNIT THROUGHOUT FINGERS AND BACK OF HAND
- FLAME RESISTANT
- ADJUSTABLE CUFF FOR CUSTOM FIT
- GOATSKIN LEATHER REINFORCED IN HIGH-WEAR AREAS
- THERMAL AND CUT RESISTANT



REMOVABLE INJECTED MOLDED KNUCKLE PROTECTOR

PALADIN INTERMEDIATE COLD WEATHER GLOVE





FEATURES:

- KEVLAR KNIT THROUGHOUT FINGERS AND BACK OF HAND FOR FLAME RESISTANCE AND CUT PROTECTION
- DRIFIRE® FLEECE FOR INSULATION AND MOISTURE WICKING
- FLAME RESISTANT
- THERMAL AND CUT RESISTANT
- INTERMEDIATE COLD WEATHER
 PROTECTION WITHOUT COMPROMISE
- PADDED KNUCKLE FOR IMPACT AND ABRASION RESISTANCE
- FLAME RESISTANT TREATED GOATSKIN FOR INCREASED DEXTERITY, DURABILITY AND PROTECTION
- REINFORCED LEATHER IN HIGH-WEAR AREAS
- ADJUSTABLE CUFF FOR CUSTOM FIT

FOLIAGE GREEN G602SM SMALL G602ME MEDIUM G602LA LARGE G602XL X-LARGE G6022X 2X-LARGE





COYOTE BROWN G3111SM SMALL G3111ME MEDIUM G311LA LARGE G3111XL X-LARGE G3112X 2X-LARGE

*This statement does not imply an endorsement by any DOD agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.





FEATURES:

- OUTLASTS FLYERS GLOVE 4-6 TIMES
- NOMEX/KEVLAR KNIT THROUGHOUT FINGERS AND BACK OF HAND
- FLAME RESISTANT
- ADJUSTABLE CUFF FOR CUSTOM FIT
- SHEEPSKIN LEATHER REINFORCED IN HIGH-WEAR AREAS
- CUSTOM DESIGNED TO MATCH US MILITARY UNIFORMS
- CLIP STRAP FOR EASY STORAGE
 AND PORTABILITY
- 3 FINGERTIPS REMOVED FOR ADDED DEXTERITY/SENSITIVITY
- NAVAIR APPROVED*

FOLIAGE GREEN

G312SM SMALL G312ME MEDIUM

G312LA LARGE

G312XL X-LARGE

G3122X 2X-LARGE

38 TACTICAL GLOVES: DURABLE // FLAME RESISTANT // MAX DEXTERITY







BLACK G4D0SM SMALL G4D0ME MEDIUM G4D0LA LARGE G4D0XL X-LARGE G4D02X 2X-LARGE

FEATURES:

- INJECTION MOLDED THERMOPLASTIC KNUCKLE AND FINGER PROTECTORS
- VENTILATED FINGERS AND MESH BACK FOR AIRFLOW/BREATHABILITY
- SYNTHETIC LEATHER PALM FOR MAXIMUM DURABILITY/ BREATHABILITY
- MOISTURE WICKING HEAVY-DUTY LYCRA® GUSSETS
- NEOPRENE CUFF FOR CUSTOM FIT
- MOLDED TPR CLOSURE FOR EASY GRIP
- REINFORCED THUMB AND PALM PATCH IN HIGH-WEAR AREAS





BLACK G450SM SMALL G450ME MEDIUM G450LA LARGE G450XL X-LARGE G4502X 2X-LARGE

FEATURES:

- SYNTHETIC LEATHER KNUCKLE
 AND PALM FOR MAXIMUM
 DURABILITY/BREATHABILITY
- REINFORCED THUMB AND PALM
 PATCH IN HIGH-WEAR AREAS
- MOISTURE WICKING HEAVY-DUTY LYCRA® GUSSETS
- VENTILATED FINGERS FOR INCREASED AIRFLOW AND BREATHABILITY
- SILICON PRINT FOR INCREASED GRIP ON STRATEGIC AREAS (THUMB AND INDEX)
- CLIP-STRAP FOR EASY STORAGE AND PORTABILITY

APEL APPROVED ITEM

AUTHORIZED PROTECTIVE EYEWEAR LIST (APEL) APPROVED

= APEL APPROVED

WX VAPO	TACLE KIT			WX VALOR SPECTACLE KIT				
CH3401	NSN	4240-01-665-0678	Small Two Lens System - Smoke and Clear	•	CH4701	NSN	4240-01-630-7802	Two Lens System - Smoke and Clear
CH34F	NSN	4240-01-664-9965	Small Frame	•	CH47F	NSN	4240-01-632-8161	Frame
 CH34C 	NSN	4240-01-665-0374	Small Clear Replacement Lens	•	CH47C	NSN	4240-01-632-5260	Clear Replacement Lens
CH34S	NSN	4240-01-665-0466	Small Smoke Grey Replacement Lens	•	CH47S	NSN	4240-01-632-5243	Smoke Grey Replacement Lens
 CH34C10 	NSN	4240-01-664-9978	Small Package of 10 Clear Replacement Lenses	•	CH47C10	NSN	4240-01-632-6539	Package of 10 Clear Replacement Lenses
• CH34S10	NSN	4240-01-665-0024	Sm Package of 10 Smoke Grey Replacement Lenses	•	CH47S10	NSN	4240-01-632-6551	Package of 10 Smoke Grey Replacement Lenses
 CH3501 	NSN	4240-01-630-7493	Regular Two Lens System - Smoke and Clear	•	DN650	NSN	4240-01-633-3557	Case
• CH35F	NSN	4240-01-632-8165	Regular Frame	•	A492B	NSN	4240-01-633-4322	Retention Strap
 CH35C 	NSN	4240-01-632-5246	Regular Clear Replacement Lens	•	A425	NSN	4240-01-633-2474	Cleaning Cloth
CH35S	NSN	4240-01-632-5253	Regular Smoke Grey Replacement Lens		NERVE GO)GGLE K	IT	
 CH36C10 CH36S10 	NSN NSN	4240-01-664-9957 4240-01-665-0378	Regular Package of 10 Clear Replacement Lenses Reg Package of 10 Smoke Grey Replacement Lenses	•	R-8052T	NSN	4240-01-630-6743	Kit includes goggle frame, clear ballistic lens, smoke ballistic lens, goggle strap, Rx adapter, storage case, instruction card, lens cleaning cloth
 CH3601 	NSN	4240-01-665-0701	Large Two Lens System - Smoke and Clear	•	R-8052TF	NSN	4240-01-633-2458	Frame
 CH36F 	NSN	4240-01-665-0708	Large Frame	•	R-8052C	NSN	4240-01-632-5400	Clear Replacement Lens
 CH36C 	NSN	4240-01-665-0382	Large Clear Replacement Lens	•	R-8052S	NSN	4240-01-632-5403	Smoke Grey Replacement Lens
 CH36S 	NSN	4240-01-665-0378	Large Smoke Grey Replacement Lens	•	R-8052C10	NSN	4240-01-632-7700	Package of 10 Clear Replacement Lenses
 CH35C10 	NSN	4240-01-632-6549	Large Package of 10 Clear Replacement Lenses	•	R-8052S10	NSN	4240-01-632-7710	Package of 10 Smoke Grey Replacement Lenses
 CH35S10 	NSN	4240-01-632-6552	Lq Package of 10 Smoke Grey Replacement Lenses	•	R-8052ET	NSN	4240-01-633-4319	Tan 499 Retention Strap
 DN600 	NSN	4240-01-633-3559	Case	•	R-8052SLT	NSN	4240-01-633-3511	Protective Sleeve
A492B	NSN	4240-01-633-4322	Retention Strap	•	TS-235	NSN	4240-01-504-5797	Case
 CH35NP 	NSN	4240-01-633-4209	UPLC Compatible Nosepiece	•	A425	NSN	4240-01-633-2474	Cleaning Cloth
A425	NSN	4240-01-633-2474	Cleaning Cloth		SPEAR GO	IGGLE K	IT	
		NCED SPECTACLE K		•	SP3OT	NSN	4240-01-630-6712	Kit includes goggle frame, clear ballistic lens, smoke ballistic lens, goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth
CHTAL1	NSN	4240-01-583-5158	Two Lens System - Smoke and Clear	•	SP30TF	NSN	4240-01-633-2229	Frame
CHTALC	NSN	4240-01-583-5295	Clear Replacement Lens	•	SP30ET	NSN	4240-01-641-1982	Tan 499 Retention Strap
CHTALS	NSN	4240-01-583-5311	Smoke Grey Replacement Lens	•	SP30SLT	NSN	4240-01-633-3528	Protective Sleeve
CHTALF	NSN	4240-01-583-5288	Frame	•	AN571T	NSN	4240-01-633-3571	Case
CHTAL10C	NSN	4240-01-583-5319	Package of 10 Clear Replacement Lenses	•	R9101	NSN	4240-01-630-2588	UPLC Adapter
CHTAL10S TO 225	NSN	4240-01-583-5328	Package of 10 Smoke Grey Replacement Lenses	•	SP29C	NSN	4240-01-600-1736	Replacement Clear Lens
 TS-235 A 425 	NSN	4240-01-504-5797	Case	•	SP29S	NSN	4240-01-600-1737	Replacement Smoke Grey Lens
 A425 XLE 	NSN	4240-01-633-2474	Cleaning Cloth	•	SP29C10	NSN	4240-01-600-1733	10-Pack Replacement Clear Lenses
XLE	NSN	4240-01-504-5770	Retention Strap	•	SP29S10	NSN	4240-01-600-1734	10-Pack Replacement Smoke Grey Lenses
CHTALNP	NSN	4240-01-630-2585	UPLC Compatible Nose Piece	•	SP29FCS	NSN	4240-01-600-1741	Replacement Facial Cavity Seal
				•	A425	NSN	4240-01-633-2474	Cleaning Cloth

NSN/NATO ITEMS

PT-1 BALLIS	STIC EYE PR		
PT-1SC	NSN	4240-01-510-7853	Two Lens System - Smoke and Clear
PT-1SCL	NSN	4240-01-510-7851	Three Lens System - Smoke, Clear, Light Rust
PT-1S	NSN	4240-01-510-7847	One Lens System - Smoke
PT-1C	NSN	4240-01-510-7848	One Lens System - Clear
PT-1L	NSN	4240-01-510-7845	One Lens System - Light Rust
1SD	NSN	4240-01-528-5901	Smoke Replacement Lenses (50 Pack)
100	NSN	4240-01-528-5900	Clear Replacement Lenses (50 Pack)
TS-235	NSN	4240-01-504-5797	Replacement Hard Case
ROMER 3 B	ALLISTIC E	YE PROTECTION	
1006	NSN	4240-01-510-7864	Three Lens System - Smoke, Clear, Light Rust
1006C	NSN	4240-01-513-4543	Replacement Clear Lenses
1006S	NSN	4240-01-513-4538	Replacement Smoke Lenses
1006L	NSN	4240-01-513-4541	Replacement Light Rust Lenses
1006F	NSN	4240-01-513-4534	Replacement Frame
TS-235	NSN	4240-01-504-5797	Replacement Hard Case
SABER AD	VANCED BA	LLISTIC EYE PROTECT	ווח
300	NSN	5120-01-598-6695	One Lens System - Pale Yellow
301	NSN	5120-01-598-6699	One Lens System - Light Rust
302	NSN	5120-01-598-6702	One Lens System - Grey
303	NSN	5120-01-598-6706	One Lens System - Clear
308	NATO	4240-17-122-8985	Three Lens System - Smoke, Clear, Light Rust
SG-1 BALLI	STIC EYE P	ROTECTION	
71	NSN	4240-01-504-0994	2 Lens System (Extra ventilated)
70	NSN	4240-01-510-7844	2 Lens System
SG-1C	NSN	4240-01-504-5326	Clear Replacement Lenses
SG-1S	NSN	4240-01-504-5312	Smoke Replacement Lenses
70C	NSN	4240-01-513-4525	Cut Clear Replacement Lenses
70S	NSN	4240-01-513-4519	V-Cut Smoke Replacement Lenses
SG-1E	NSN	4240-01-504-5754	Elastic Strap Replacement
SG-1F	NSN	4240-01-504-6524	Replacement Frame (Included temples and strap)
SG-1T	NSN	4240-01-504-6474	Replacement Temples
TS-235	NSN	4240-01-504-5797	Hard Case w/Lens Storage
71	NATO	4240-22-611-7464	2 Lens System (Extra ventilated)

SPEAR BALI	LISTIC GOO	GLES					
SP29B	NSN	4240-01-600-1785	Kit includes goggle frame, clear ballistic lens,smoke ballistic lens, goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth - Black				
SP29G	NSN	4240-01-600-1791	Kit includes goggle frame, clear ballistic lens, smoke ballistic lens, goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth - Foliage Green				
SP29T	NSN	4240-01-600-1793	Kit includes goggle frame, clear ballistic lens, smoke ballistic lens, goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth – Tan 499				
SP29BF	NSN	4240-01-600-1751	Frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter - Black				
SP29GF	NSN	4240-01-600-1761	Frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter - Foliage Green				
SP29TF	NSN	4240-01-600-1770	Frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter - Tan 499				
SP29EB	NSN	4240-01-600-1771	Replacement elastic strap - Black				
SP29EG	NSN	4240-01-600-1775	Replacement elastic strap - Foliage Green				
SP29ET	NSN	4240-01-600-1784	Replacement elastic strap – Tan 499				
SP29FCS10	NSN	4240-01-600-1739	10-Pack Replacement Facial Cavity Seal				
XL-1 ADVANCED BALLISTIC EYE PROTECTION							
291	NSN	4240-01-504-1037	2 Lens System				
XLC	NSN	4240-01-504-5303	Clear Replacement Lenses				
XLS	NSN	4240-01-504-5308	Smoke Replacement Lenses				
XLE	NSN	4240-01-504-5770	Replacement Elastic Strap				
XLF	NSN	4240-01-504-6528	Replacement Frame (Includes elastic strap)				
TS-235	NSN	4240-01-504-5797	Hard Case w/Lens Storage				
NERVE BALLISTIC GOGGLE							
R-8051	NATO	4240-01-544-4259	2 Lens System				
PRESCRIPTION LENS CARRIER (WX TALON ADVANCED, SPEAR)							
CHX	NSN	6540-01-584-0073	Rx Carrier				
CHX25	NSN	6540-01-585-7160	Package of 25 CHX Rx Carriers				





WX A.P.P. 50/50 HOODIE J410



WX A.P.P. 50/50 SHIRT J110



WX A.P.P. LADIES TANK J700



WX MILITARY GREEN w/AMERICAN FLAG J120



WX GREY T-SHIRT w/ WILEY X LOGO J130



WX DRI-MESH® CAP - BLACK A538

Visit www.wileyx.com for more apparel options.

WARRANITES

RETURNS AND EXCHANGES

1) Wiley X Non-Prescription Eyewear – Limited Lifetime: Wiley X, Inc. warrants non-prescription Wiley X eyewear to be free of manufacturing defects in materials or workmanship for the life of the original purchaser, with the following exceptions:

- Youth Force™ eyewear is warranted against defects in materials or workmanship for a maximum period of 2 years.
- LA™ Light Adjusting lenses are warranted against defects in materials or workmanship for a maximum period of 18 months (proof of purchase for LA™ Light Adjusting lens products required).

Licensed Brands:

- Remington® by Wiley X, Inc. products are warranted against defects in materials or workmanship for a maximum period of 1 year.
- John Deere[®] eyewear by Wiley X, Inc. (US and Canada only) is warranted against defects in materials or workmanship for a maximum period of 1 year.

2) Prescription Eyewear Frames: Wiley X, Inc. warrants Wiley X and John Deere® frames filled by Wiley X authorized prescription laboratories to be free of manufacturing defects in materials or workmanship for a period of 1 year. Prescription frame and lens warranties must be handled through the local retailer or dispensing optician from which they were originally purchased. Prescription lens manufacturing defects are covered by the lab who originally dispensed them. Proof of purchase required.

3] Gloves: Wiley X, Inc. warrants gloves to be free of manufacturing defects in material or workmanship for a maximum period of 2 years.

4] Remington® by Wiley X, Inc. Hearing Protection: Wiley X, Inc. warrants Remington® by Wiley X, Inc. hearing protection products to be free of defects in materials or workmanship for a maximum period of 1 year.

Scope of Coverage: Wiley X will repair or replace covered items at the sole discretion of Wiley X, as needed and as available [identical or equivalent style] at no charge. Dut of warranty items may be repaired [if repairable], replaced, returned or destroyed, at the option and sole expense of the purchaser. Exclusions: This warranty does NOT extend to and excludes [i] any and all Wiley X products purchased through Amazon, Ebay or any non-authorized 3rd party websites, dealers or labs [ii] damage resulting from normal wear and tear, including but not limited to scratched lenses and broken frames, hinges and nose pieces, [iii] damage resulting from abuse or misuse, [iv] damage resulting from tampering or customer modification, [v] damage resulting from exposure to harmful substances, elements or conditions, [vi] other damage to covered items not resulting from a manufacturing defect in materials or workmanship as Wiley X shall decide in its sole discretion, or [vii] lost or stolen items. Proof of purchase is required.

How to Process a Warranty Claim for Repair or Replacement of Covered Items:

A. IN THE UNITED STATES: Please complete the online warranty claim form located online at: www.wileyx. com/about/support/warranty. After proper completion of the online warranty claim form, Wiley X will provide you a Return Authorization (RA) number. Print the completed online warranty claim form (including the RA number) and send the warranty claim form along with the covered item and proof of purchase to: Wiley X, Inc., Attn: Returns Department, 7800 Patterson Pass Road, Livermore, CA 94550. Please use a traceable shipping method (Wiley X is not responsible for lost, stolen or damaged shipments) and allow 7–10 business days from our receipt of the package to process your warranty claim.

B. OUTSIDE THE CONTINENTAL U.S.: Please contact the Wiley X, Inc. Authorized Dealer nearest you for instructions. If you cannot locate a Wiley X, Inc. Authorized Dealer, please email warrantyclaim@wileyx.com for instructions.

For covered items and for full text of this warranty, please see: www.wileyx.com/about/support/warranty Returns and exchanges will not be accepted without receiving prior authorization to include an assigned return authorization number. For every one item returned, at least one item must be purchased. Returns must be in resalable condition, as determined by Wiley X for product not discontinued longer than six months. All returns must be shipped prepaid from point of origin, unless prior arrangements have been made. No COD returns accepted. New orders resulting from exchanges will be shipped upon receipt of returned merchandise unless other arrangements have been made with Wiley X. Customers are responsible for all shipping charges, both inbound and outbound. Returns should be sent attention: RETURNS DEPARTMENT.

TERMS AND CONDITIONS

All Wiley X models may be combined when compiling a quantity order. Extreme care is taken when packaging all products we ship. If a discrepancy occurs, a claim should be made immediately.

Standard Terms: NET30 (upon credit approval); COD Invoices incur minimal shipping and handling fee; Credit Card (Visa, Master Card, Discover, American Express).

The name and likeness of Kevin Harvick are registered trademarks of Kevin Harvick, Incorporated, and are used under license from Kevin Harvick, Inc. Joey Logano's name and likeness are a registered trademark of Joey Logano Racing, LLC.

WX, WILEY X, logos, tag lines and product names are trademarks or registered trademarks (marcas registrada) of Wiley X, Inc., in the U.S. and other countries. Logos © 2007-2018 Wiley X, Inc. Catalog TM © 2018 Wiley X, Inc. All rights reserved.





ABSOLUTE. PREMIUN. PROTECTION.





WILEY X, INC., USA

7800 Patterson Pass Rd. Livermore, CA 94550 USA Tel: 1.800.776.7842 // 925.243.9810 // Fax: 925.455.8860 WWW.WILEYX.COM

WILEY X EMEA, LLC

Sondergade 8-10, 7570 Vemb, Denmark Tel: +45.96.93.00.45 // Fax: +45.96.93.00.40 WWW.WILEYX.EU